

**Agency for Healthcare Research and Quality
Prevention Quality Indicators (PQIs)**

ICD-9-CM Coding Updates to Version 3.1

Updated March 12, 2007

The following changes were implemented in Version 3.1 of the Prevention Quality Indicators (PQIs) software code and reflect changes to indicator definitions based on updates to ICD-9-CM codes for Fiscal Year 2007 (effective 10-1-2006). All changes noted below have been incorporated into the SAS software syntax, SAS software documentation, *Prevention Quality Indicators: Technical Specifications*, and the *Guide to Prevention Quality Indicators*. With this software update, the PQIs software definitions now incorporate ICD-9-CM codes valid from October 1, 1994 through September 30, 2007.

Indicator Name (#)	Component	Change
Multiple Indicators (Cardiac Procedure)	Numerator (exclusion)	Added new (FY2007) codes 00.56 "Ins/Rep Impl Sensor Lead," 00.57 "Imp/Rep Subcue Card Dev," 35.55 "Pros Rep Ventrc Def-Clos," 36.33 "Endo Transmyo Revascular," and 36.34, "Perc Transmyo Revascular" to the exclusion criteria for cardiac procedure. Applicable PQIs: 7, 8, and 13
Urinary Tract Infection Admission Rate (PQI 12)	Numerator (exclusion)	Added new (FY2007) codes 238.73 "Hi Grde Myelodys Syn Les," 238.76 "Myelofi W Myelo Metapla," 284.09 "Const Aplastic Anemia Nec," 2841 "Pancytopenia," 288.00 "Neutropenia Nos," 288.01 "Congenital Neutropenia," 288.02 "Cyclic Neutropenia," 288.03 "Drug Induced Neutropenia," 28809 "Neutropenia Nec," 288.4 "Hemophagocytic Syndromes," 288.50 "Leukocytopenia Nos," 288.51 "Lymphocytopenia," 288.59 "Decreased Wbc Count Nec," 289.53 "Neutropenic Splenomegaly," and 289.83 "Myelofibrosis" to the exclusion criteria for immunocompromised state.